

Tel: +8675523215133

Website: www.shumatt.com

Mob/WhatsApp: +86 13410541523

Email: ruby@shumatt.com



# 294200-4750 Fuel Pump SCV Valve Technical File

# Appet Maria Maria Content

1.29	94200-475	0 Fuel Pu	mp SCV \	/alve Intro	oductior	າ				JS64 .	597.	3
	1.1.29420	0-4750 Fเ	iel Pump	SCV Valv	e Basic I	nformati	on	, grif	پيرسنائتم	پرنګه	,	3
$a_{h_{j}}$	1.2.29420	00-4750 9	CV Valve	Applicat	ion to Fu	uel Pump	Inform	ation	37,300	57,50	50,000	3
	1 3 29420	$0.4750  \mathrm{F}$	iiel Piim	n SCV Val	lve Sneci	ifications	and Dir	mensions	:			3
فروري	1.4.29420	00-4750 F	uel Pum	p SCV Val	lve Quali	ity Contr	ol				ألكوني أأأ	3
30.	1.5.29420	00-4750 F	uel Pum	p SCV Val	ve Custo	omized S	ervice	30	.3n.	30.	34	4
	1.6.29420	0-4750 F	uel Pum	p SCV Val	ve Packi	ing List	d		البّاتي			4
$S_{ij}^{(k)}$	1.7.29420	00-4750 F	uel Pum	p SCV Val	lve Warr	anty Inst	ructions		55,500	555,500	955	5
	1.8,29420	0-4750 F	uel Pum	p.SCV Val	lve Manı	ufacturei						
2.29	94200-475	0 Fuel Pu	mp SCV \	/alve Tech	nnical Su	pport	5 <sup>73</sup>	erica. Autori	67 <sup>57</sup>	471 <sup>76</sup> - 44700		6
50	2.1.29420	00-4750 F	uel Pum	p SCV Val	lve Techi	nical Sup	port Ob	taining M	1ethods	555	\$4.	6
3.29	94200-475					-		_		واللَّكَ	منو	66
$e^{ik\lambda}$	3.1.29420	0-4750 F	uel Pum	p SCV Val	ve Purch	nase Pay	nent Me	ethods	50,000	78 J. S.	36	6
	3 2 29420	)0-4750 F	Tuel Pum	n SCV Val	lve Main	Sales M	arkets =					6
6.5	3.3.29420	00-4750 F	uel Pum	p SCV Val	ve Decla	aration R	equirem	ents	e <sup>rio</sup>	er e		6
-5111	3.4.29420	00-4750 F	uel Pum	p SCV Val	ve Shipp	oing Way	s.S.		:5/1"	:547**	:SV"	7
	3.5.29420											
$S_{ij}(r)$	3.6.29420	A 100 PM	46,70077	46.75	6.327	F1 700	46.792	4,404	4,400	4. 000	4, 000	100
	3.7.29420											
4.29	94200-475	G 1	C)	T 1		177	377	4.00	4.00	-0.00		8
350.0	ompany Info	200	200	200	100	100	200	(50.0)	86	94"	34	9
	5.1. Comp	any Intro	duction	(A	1	1	<u> </u>		gT	gi <sup>5</sup>		9اللت
$S_{ij}^{(i)}$	5.2. Sales-	men's Co	ntact Info	rmation.	53/62	-200-200	510 <sup>150</sup>	51 <sup>1,200</sup>	557,500	50 th 500	55,000	10
6. C	opyright Sta											10
دور				TO THE PARTY OF TH	- 31		55 ° July 1978	Section .	Park . Talahan		price.	piji. P Lastis
301	301	300.1	3041	304	304	904	901	301	300	300	500.1	324
		in the	O Legal	o e	S Jack	5 m	5 <sup>5</sup>	95 <sup>55</sup>	ericii.	ori in the	900 mil	65°S
200	25,000	25,000	2000	27,000	\$1 <sup>0</sup> .00	25	250000	250000	2400	2/100	2500	200
	-5	. S	AG	at 5	at .	eri.	-1	-4	25	25	25	540
- 18 P	Maria State	TT SPECTA	er ere	SHEALES.	SPANN	SANZER	ri spin	er <sup>ri</sup> Sr <sup>lum</sup>	e <sup>nt</sup> Se <sup>let</sup>	51 <sup>0,50</sup>	P <sup>TT</sup> SP <sup>E</sup>	Sp <sub>er</sub>
-			90.1		-	-	-	-		-		
- 1	pte to a special to	TO SHADOW	SP <sup>RESSO</sup>	ri Si <sup>RUDINI</sup>	SPANN	SATUR.	ri sh <sup>pi</sup>	ST STATE	si <sup>ri</sup> Shi <sup>ghi</sup>	ST SPAN	ATT SHELDS	875
2000	23,000	3100	890	Sign	20,000	21/00	2500	23,00	28,000	3400	3/2-	29 <sub>67</sub>
	a.			a .	а.	-4	8					
entil.	erit erit	A 1 A 1	C) a				4.5	-47%	35	200	-3	
	400				STATE OF THE PARTY.				eri Salah	ST. STATE	15 <sup>77</sup> (1,151)	STT STT
1001	NEC SHAN	SHAME.	SANAL.	SUPPLIED.	7 519,355	S. C.	en en en en	sri Ship	51 <sup>11</sup> 51 <sup>13</sup> 11	51 <sup>5,57</sup>	S <sup>TT</sup> SHAM	51 <sup>5</sup>
in 1			e sugar		Stane.	n, set		er Ser sai	eri Signifi		rit	51 <sup>5</sup>
salti	Maria Maria		e shipane. Language	Eldfrand.	SHEAR.	Li Zilerizia. Li Zilerizia.	A SUPPLE	SANDER	ELL SUPPLY		FTT SHEAR	51 <sup>5</sup>
97 <sup>(0,0</sup>	aleggi - vale liggigi	Shipping.	C. Shipting.	Shipping.	SUP. SUP.		37 <sup>4</sup> 37 <sup>6</sup> 47 <sup>6</sup>	57 <sup>71</sup> 57 <sup>4</sup> 4 <sup>78)</sup>	K <sup>T</sup> JAGA K <sup>T</sup> JAGA K <sup>T</sup> JAGA	S. S		24) 11,1 21,2

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



## 294200-4750 Fuel Pump SCV Valve Technical File

#### 1.294200-4750 Fuel Pump SCV Valve Introduction

#### 1.1,294200-4750 Fuel Pump SCV Valve Basic Information

Title	China Made New 294200-4750 Fuel Pump SCV Valve
SKU1	H9D5D2942004750

#### 1.2.294200-4750 SCV Valve Application to Fuel Pump Information

#### (1) 294200-4750 Fuel Pump SCV Valve Application to Car Model Information

SCV Valve Part Number	Car Model	OE Number	OE Number
294200-4750	STATE AND THE STATE	THE STREET	and the state of t

#### (2) 294200-4750 Fuel Pump SCV Valve Application to Fuel Pump Part Number Information

Fuel Pump Series	Fuel Pump Part No.	OE Number	Car Model	Engine Model
HP3	294000-1460	22100-E0560-C	HINO TOYOTA	N04C
HP3	294000-1550	22100-E0580	HINO	J05E
HP3	294000-1790		KOMATSU	4D95L
HP3	294000-2110	22100-E0430	HINO	J08E
HP3	294000-2420	22100-E0581	HINO	or and and

#### (3) 294200-4750 Fuel Pump SCV Valve Part Number Common Written

294200-4750, 294200-4751, 294200-4752, 294200-4753, 294200-4754, 294200-4755, 294200-4756, 294200-4757, 294200-4758, 294200-4759, 294200-4754, 2942004750, 2942004751, 2942004752, 2942004753, 2942004754, 2942004755, 2942004756, 2942004757, 2942004758, 2942004759, 294200475#

#### 1.3.294200-4750 Fuel Pump SCV Valve Specifications and Dimensions

Fuel Pump SCV Valve Size: 6cm\*5 cm \*5 cm
Fuel Pump SCV Valve Box Size: 9 cm \*8 cm \*7 cm
Fuel Pump SCV Valve Package Size: 10 cm \*9 cm

Fuel Pump SCV Valve Net Weight: 0.16kg
Fuel Pump SCV Valve Gross Weight: 0.19kg

Fuel Pump SCV Valve Quality: China Made New SCV Valve

Fuel Pump SCV Valve MOQ: 4 pieces

#### 1.4.294200-4750 Fuel Pump SCV Valve Quality Control

#### (1) Fuel Pump SCV Valve Test

All fuel pump SCV valve spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

## (2) Fuel Pump SCV Valve Inspection

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



The factory inspection of the fuel pump SCV valve is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same fuel pump SCV valve for a total of no less than three times for factory inspection, and fuel pump SCV valve installation and test environment are progressed in dust-free workshop.

#### 1.5.294200-4750 Fuel Pump SCV Valve Customized Service

(1) Fuel Pump SCV Valve's Customized Service: Meet the customized needs of OEM manufacturers for SCV valve's lettering, SCV valve's package and label customized etc.



#### (2) Fuel Pump SCV Valve's Customized Service Requirements:

Custom fuel pump SCV valve packages are not less than 100 pieces.

Custom fuel pump SCV valve lettering no less than 100 pieces.

The purchase of custom fuel pump SCV valves are not less than 1000pieces.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

▲ Once the customized fuel pump SCV valve is sold, it cannot be returned or exchanged if there are no quality problems.

#### 1.6.294200-4750 Fuel Pump SCV Valve Packing List

#### (1) Fuel Pump SCV Valve Spare Parts List

No.	ari aari		55	No.	i Lati	2	200
engan enga	5000			Mary Stope	21/1/1		878
String Strin		- Marie - Mari	A COLUMN TWO IS NOT THE OWNER.		57 <sup>9,5</sup>	n.	518 518
Image	5			Image	s.	H	SIN.
	ď.			Pan Pan.	4	me di	N

Mob/WhatsApp: +86 13410541523

Email: ruby@shumatt.com

© 2022 Shenzhen Shumatt Technology Co., Ltd

Tel: +8675523215133

Website: www.shumatt.com



			5,7 -00.7 -00.			
Name	Fuel Pump SCV Valve	Name	Anti-Rust Bag			
Descriptio n	Part number: 294009-0120	Description	Protect SCV valve from being damaged			
No.	att att att	No.	1 AT AT 4			
Signer Signer		Spire Stone	30			
Image	art All art	lmage	200			
Stylight although		Spilled of States of Spilled of S				
Name	Accessories	Name	SCV_Valve Box			
Descriptio n	SCV valve with accessories	Description	Protect SCV valve from being damaged			

Minors are forbidden to use SCV valve, SCV valve accessories, SCV valve box and anti-rust bag to avoid personal injury.

SCV valve box is recyclable accessories that can be reused.

▲ VCI anti-rust bag is non-degradable materials, please dispose them properly after using.

#### 1.7.294200-4750 Fuel Pump SCV Valve Warranty Instructions

#### (1) Fuel Pump SCV Valve Warranty Conditions and Instructions

It is necessary to provide pictures, videos of fuel pump SCV valve or test reports of fuel pump SCV valve inspection equipment as evidence to feed back to the salesman.

Fuel pump SCV valve abnormal conditions are properly explained such as: 1.Black smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

Above problems also may cause by the incorrect installation of fuel pump, if the problems are confirmed to be product's problems after tested by Shumatt, it is within the warranty coverage.

#### (2) Fuel Pump SCV Valve Warranty Coverage

After customers receive the 294200-4750 fuel pump SCV valve within 15 days, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the 294200-4750 fuel pump SCV valve has performance problems during the warranty period (3 months), and it is confirmed to be product's problems after being tested, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the fuel pump SCV valve has obvious scratches, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

▲ Tips: For products not within warranty period, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.

#### (3) Fuel Pump SCV Valve Out of Warranty Coverage

The fuel pump SCV valve's warranty period has expired.

Fuel pump SCV valve failure caused by high temperature, high pressure, humidity, rain and snow, salinealkali land, earthquake, and used in abnormal environment.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



Fuel pump SCV valve damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).

Fuel pump SCV valve failure or injector damage caused by non-fuel pump SCV valve's design, technology, manufacturing, quality and other issues.

Fuel pump SCV valve failure due to system pressure exceeding system approved pressure.

Fuel pump SCV valve failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.

Fuel pump SCV valve failure caused by not installing according to the tightening torque specified in fuel pump maintenance manual (the tightening torque is too large or too small).

Fuel pump SCV valve failure caused by not following the installation angle specified in fuel pump maintenance manual.

Fuel pump SCV valve failure caused by not following the cleaning requirements specified in fuel pump maintenance manual.

Fuel pump SCV valve failure caused by failure to replace consumable parts as specified in fuel pump maintenance manual.

#### 1.8.294200-4750 Fuel Pump SCV Valve Manufacturer

SCV Valve's Manufacturer: Shenzhen Shumatt Technology Co., Ltd

#### 2.294200-4750 Fuel Pump SCV Valve Technical Support

#### 2.1.294200-4750 Fuel Pump SCV Valve Technical Support Obtaining Methods

- (1) Fuel Pump SCV Valve Technical File, visit <a href="http://shumatt.com">http://shumatt.com</a> to get the technical file.
- (2) Fuel Pump SCV Valve Technical Videos

**Facebook:** Visit <a href="https://www.facebook.com/hison.li">https://www.facebook.com/hison.li</a> to get the technical videos, constantly follow can get more information.

**YouTube:** Visit <a href="https://www.youtube.com/channel/UCByvYBx7VjV">https://www.youtube.com/channel/UCByvYBx7VjV</a> mAfxh Hu-aw to get the technical videos, constantly follow can get more information.

**Shumatt:** Visit <a href="http://shumatt.com">http://shumatt.com</a> to get the technical videos.

(3) Fuel Pump SCV Valve Information Query Software

TruckBook Parts EPC APP, Android/Apple App Store download and install, visit <a href="http://shumatt.com">http://shumatt.com</a> to get the download and installation tutorial

(4) Search fuel pump SCV valve test data through TruckBook Parts EPC APP.

#### 3.294200-4750 Fuel Pump SCV Valve Purchase and Delivery

#### 3.1.294200-4750 Fuel Pump SCV Valve Purchase Payment Methods

**Payment Methods:** T/T, PayPal, Alipay, WeChat

Please contact our salesmen for specific payment information.

#### 3.2.294200-4750 Fuel Pump SCV Valve Main Sales Markets

SCV Valve Main Sales Markets: Asia, Europe, North America, South America, Africa etc.

### 3.3.294200-4750 Fuel Pump SCV Valve Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



#### 3.4.294200-4750 Fuel Pump SCV Valve Shipping Ways

**Destination in China areas:** SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

**Destinations out of China's areas:** DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

#### 3.5.294200-4750 Fuel Pump SCV Valve Lead time

**Lead time:** Send out within 3-7 working days after receiving payment (Except for special products and special cases).

## 3.6.294200-4750 Fuel Pump SCV Valve Logistics Time for Destination Out of China's Areas

#### **DHL Logistics Time:**

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China's Mainland	7 Days	7 Days	8 Days	8 Days	8-12 Davs	7-10 Days

UPS Logistics Time: Country or Region of Departure: China's Mainland

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	ÜK	5-7 Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days				

The logistics time is for reference only, subjects are according to the actual arrival.

#### 3.7.294200-4750 Fuel Pump SCV Valve Packing

**Domestic express packaging:** Usually wrapped with waterproof scotch tape, such as picture No.1.

**International express packaging:** Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

**Pallet Shipping:** Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 4,

Also, the products can be packaged according to customers' requirements.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com

 $\mathcal{G}^{(i)}$ 

 $\mathfrak{S}^{(k)}$ 

## Shenzhen Shumatt Technology Co., Ltd

▲ The packing tray is made of plastic and can be recycled.

A Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.


Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.



Pic No. 1

Domestic express packaging:

Wrapped by Transparent tape



Pic No. 2

International express packaging:

Wrapped with yellow tape after wrapping black protective film



Pic No. 3

**Pallet Shipping:** Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

#### 4.294200-4750 Fuel Pump SCV Valve Storage Standard

#### (1) Choose a suitable storage place

The warehouse and cargo yard where fuel pump SCV valve is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acid, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



area dry.

#### (2) Strict requirements of warehousing

Strict inspections should be carried out when fuel pump SCV valves are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. The packed fuel pump SCV valves must be protected from being damaged.

#### (3) Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for fuel pump SCV valves placed in the room, and the corrosion of fuel pump SCV valves is significantly reduced.

fuel pump SCV valves must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

#### (4) Stack Properly

After the fuel pump SCV valve is exposed in rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the fuel pump SCV valve from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If fuel pump SCV valve package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

▲ It is forbidden to leave the fuel pump SCV valve exposed in the air for a long time.

▲ It is forbidden to store acid, alkali, salt and other substances together with the fuel pump SCV valve.

The unpacked fuel pump SCV valve must be rust-proof during secondary storage.

#### 5. Company Information



#### 5.1. Company Introduction

Chinese Name: 深圳市舒马特科技有限公司

English Name: Shenzhen Shumatt Technology Co., Ltd.

**■ Mob Phone/WeChat:** +86-13410541523

☐ HK Telephone: +852-67653519

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com



Telephone: +86-755-23215133

Email: ruby@shumatt.com

Website: www.shumatt.net

Shenzhen Office: 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

Shenzhen Office: Room 428-430, Building B, Huafeng Zhigu Technology Industrial Park, Exit B, Fuyong Metro Station, Bao'an District, Shenzhen, China's Mainland

Hong Kong Office: Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

After-sales Service Address: Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: 1.7. 294200-4750 Fuel Pump SCV Valve's Warranty Instructions.)

#### 5.2. Sales-men's Contact Information

No.	Name	WeChat/ WhatsApp	Email	Facebook	YouTube			
1	Ruby	+86-13410541523	ruby@shumatt.com	Hison Li	Hison Li			
2,50	of lvy and lvy	+86-18025309821	sales@shumatt.com	Ivy Shumatt	Shumatt IVY			
3	Rebecca	+86-18025349821	sales01@shumatt.com	Rebecca SHUMATT	SHUMATT Rebecca			
<b>4</b> 0.00	Janny	+86-18028749821	sales02@shumatt.com	Janny shumatt	Janny Shumatt			
5	Sam Sam	+86-13316859821	Sales8@shumatt.com	Shumatt Sam	Sam Shumatt			
6	Natalie	+86- 18938945856	sales15@shumatt.com	Shumatt Natalie	Lin Natalie			
7	Ada	+86-1342286353	sales5@shumatt.com	Shumatt Ada	Ada Shumatt			
8	Hison Li	+86-18318811871	web@shumatt.com	Hison Li	Hison Li			
9	Mecca	+86-18938948618	sales11@shumatt.com	Shumatt Mecca	Shumatt Mecca			
10	Eric	+86 18319033618	sales3@shumatt.com	Signar Signar	977			
11 \$100	Wayne ( Joaquín en español )	+86-13316959821	wayne@shumatt.com	shumattway ne	Wayne Shumatt			
12	Sylvia	+86 18312499884	sales6@shumatt.com		ort or			
النمبي	Visit http://www.shumatt.com to obtain the latest information of salesmen							

PS: Shumatt's sales-men's emails are all end with @shumatt.com

#### 6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sound, videos, etc.) provided in "294200-4750 Fuel Pump SCV Valve Technical File" belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "294200-4750 Fuel Pump SCV Valve Technical File" in any way. At the same time, any conditions to spread, re-post, display the contents of "294200-4750 Fuel Pump SCV Valve Technical File" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "294200-4750 Fuel Pump SCV Valve Technical File" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions.

Mob/WhatsApp: +86 13410541523 Tel: +8675523215133

Email: ruby@shumatt.com Website: www.shumatt.com