

**095420-0230 Common Rail Pressure Limiting Valve Technical File**

**SKU1: G1Y30954200230**

**SKU2: G1H90954200230**

**SKU3: L30000D5D000230**



**095420-0230 Common Rail Pressure Limiting Valve Technical File**

**Content**

1. 095420-0230 Common Rail Pressure Limiting Valve Introduction .....2

1.1. 095420-0230 Common Rail Pressure Limiting Valve Basic Information .....2

1.2. 095420-0230 Common Rail Pressure Limiting Valve Common Part Number .....2

1.3. 095420-0230 Common Rail Pressure Limiting Valve Parameter .....2

1.4. 095420-0230 Common Rail Pressure Limiting Valve Quality Control.....2

1.5. 095420-0230 Common Rail Pressure Limiting Valve Customized Service .....2

1.6.095420-0230 Common Rail Pressure Limiting Valve Packing List and Package Size .....3

1.7. 095420-0230 Common Rail Pressure Limiting Valve Warranty Instructions.....3

1.8. 095420-0230 Common Rail Pressure Limiting Valve Manufacturer .....4

2. 095420-0230 Common Rail Pressure Limiting Valve Technical Support Obtaining Methods.....4

3.095420-0230 Common Rail Pressure Limiting Valve Purchase and Delivery .....5

3.1.095420-0230 Common Rail Pressure Limiting Valve Purchase Payment Term.....5

3.2.095420-0230 Common Rail Pressure Limiting Valve Main Sales Markets.....5

3.3.095420-0230 Common Rail Pressure Limiting Valve Declaration Requirements.....5

3.4. 095420-0230 Common Rail Pressure Limiting Valve Shipping Ways.....5

3.5. 095420-0230 Common Rail Pressure Limiting Valve Lead time .....5

3.6. 095420-0230 Common Rail Pressure Limiting Valve Logistics Time for Destination Out of China’s Areas .....5

3.7. 095420-0230 Common Rail Pressure Limiting Valve Packing .....6

4.095420-0230 Common Rail Pressure Limiting Valve Storage Standard .....7

5. Company Information .....8

5.1. Company Introduction.....8

5.2. Salesmen’s Contact Information .....9

6. Copyright Statement .....9

## 095420-0230 Common Rail Pressure Limiting Valve Technical File

### 1. 095420-0230 Common Rail Pressure Limiting Valve Introduction

#### 1.1. 095420-0230 Common Rail Pressure Limiting Valve Basic Information

| Title | 095420-0230 Common Rail Pressure Limiting Valve | Quality        |
|-------|---|----------------|
| SKU1  | G1Y30954200230                                  | China Made New |
| SKU2  | G1H90954200230                                  | China Made New |
| SKU3  | L30000D5D000230                                 | China Made New |

#### 1.2. 095420-0230 Common Rail Pressure Limiting Valve Common Part Number

##### (1) Common Rail Pressure Limiting Valve Application to Car Model Information

| Common Rail Pressure Limiting Valve Part Number | Car Model | Common Rail Pipe | OE Number |
|---|-----------|------------------|-----------|
| 095420-0230                                     | FIAT      | /                | /         |

##### (2) Common Rail Pressure Limiting Valve Part Number Common Writing

095420-0230

#### 1.3. 095420-0230 Common Rail Pressure Limiting Valve Parameter

Common Rail Pressure Limiting Valve Size: 5cm\*4 cm \*2 cm

Common Rail Pressure Limiting Valve Package Size: 10 cm \* 9 cm \*5cm

Common Rail Pressure Limiting Valve Net Weight: 130g

Common Rail Pressure Limiting Valve Gross Weight: 660g

Common Rail Pressure Limiting Valve Quality: China Made New

Common Rail Pressure Limiting Valve MOQ: 10 Pieces

#### 1.4. 095420-0230 Common Rail Pressure Limiting Valve Quality Control

##### (1) Common Rail Pressure Limiting Valve Testing

All common rail pressure limiting valve spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

##### (2) Common Rail Pressure Limiting Valve Inspection

The factory inspection of the common rail pressure limiting valve is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same common rail pressure limiting valve for a total of no less than three times for factory inspection, and the common rail pressure limiting valve installation testing environment are progressed in dust-free workshop.

#### 1.5. 095420-0230 Common Rail Pressure Limiting Valve Customized Service

(1) Common Rail Pressure Limiting Valve Customized Service: Meet the customized needs of OEM manufacturers for shell lettering, logo engraving, common rail pressure limiting valve internal packaging, common rail pressure limiting valve external packaging and labels customized, etc.

|   |   |   |
|---|---|---|
|  |  |  |
| Neutral Engraving   | Anti-rust Bag Packaging   | Neutral Brown Package   |

**(2) Common Rail Pressure Limiting Valve Customized Service Requirements:**

Customized common rail pressure limiting valve packages no less than 100 pieces.

Customized common rail pressure limiting valve engraving no less than 100 pieces.




The purchased of customized common rail pressure limiting valve are not less than 1000 pieces.

When the customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

**▲ Once the customized common rail pressure limiting valve is sold, it cannot be returned or exchanged if there is no quality problems.**

**1.6.095420-0230 Common Rail Pressure Limiting Valve Packing List and Package Size**

**(1) Common Rail Pressure Limiting Valve Spare Parts List**

| No.         | 1   | 2  | 3   |
|-------------|---|--|---|
| Image       |  |  |  |
| Name        | Common Rail Pressure Limiting Valve   | White Anti-rust Bag  | Pressure Limiting Valve Packing Box   |
| Description | Common rail pressure limiting valve part number: 095420-0230                        | Prevent common rail pressure limiting valve from rusting                             | Protect the common rail pressure limiting valve from damage                           |

**▲ Minors are forbidden to use the common rail pressure limiting valve assembly, spare parts, package box, anti-rust bag to avoid injury.**

**▲ Common rail pressure limiting valve packaging box is a recyclable accessory and can be recycled.**

**▲ The anti-rust bag is a non-degradable material. Please dispose of it properly after use.**

**1.7. 095420-0230 Common Rail Pressure Limiting Valve Warranty Instructions**

**(1) Product Warranty Conditions and Instructions**

It is necessary to provide pictures, videos, or test reports detected by the common rail pressure limiting valve inspection equipment when the common rail pressure limiting valve is abnormal during use as evidence to feed back to the salesman.

Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the

engine, 4. Engine noise, 5. oil leakage etc.

## (2) Common Rail Pressure Limiting Valve Warranty Coverage

Within 15 days after customer receives the 095420-0230 injector, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the 095420-0230 common rail pressure limiting valve has performance problems during the warranty period (6-12 months), and it is confirmed that it is product's problems after testing, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the common rail pressure limiting valve is confirmed to be not faulty, it will be returned in its original condition.

**⚠ Tips: For products not covered by warranty, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.**

## (3) Common Rail Pressure Limiting Valve Out of Warranty Coverage

- ① The warranty period has expired.
- ② Common rail pressure limiting valve working failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Common rail pressure limiting valve damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ④ Common rail pressure limiting valve working failure or common rail pressure limiting valve damaged caused by non-common rail pressure limiting valve design, technology, manufacturing, quality and other issues.
- ⑤ Common rail pressure limiting valve working failure due to system pressure exceeding system approved pressure.
- ⑥ Common rail pressure limiting valve working failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- ⑦ Common rail pressure limiting valve working failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ⑧ Common rail pressure limiting valve working failure caused by not following the installation angle specified in the vehicle engine maintenance manual.
- ⑨ Common rail pressure limiting valve working failure caused by not following the cleaning requirements specified in the vehicle engine maintenance manual.
- ⑩ Common rail pressure limiting valve working failure caused by failure to replace consumable parts as specified in the vehicle engine maintenance manual.

## 1.8. 095420-0230 Common Rail Pressure Limiting Valve Manufacturer

**Common Rail Pressure Limiting Valve manufacturer:** Shenzhen Shumatt Technology Co., Ltd

## 2. 095420-0230 Common Rail Pressure Limiting Valve Technical Support Obtaining Methods

- (1) Common Rail Pressure Limiting Valve Technical File , visit <http://shumatt.com> to get the technical file.
- (2) Common Rail Pressure Limiting Valve Technical Videos

**Facebook: Visit** <https://www.facebook.com/hison.li> to get the technical videos, constantly follow can get more information.

**YouTube:** [https://www.youtube.com/channel/UCByvYBx7VjV\\_mAfxh\\_Hu-aw](https://www.youtube.com/channel/UCByvYBx7VjV_mAfxh_Hu-aw) to get the technical videos, constantly follow can get more information.

**Shumatt:** Visit <http://shumatt.com> to get the technical videos.

(3) Common Rail Pressure Limiting Valve Information Query Software  
TruckBook Parts EPC APP, Android/Apple App Store download and install, visit <http://shumatt.com> to get the download and installation tutorial

(4) Search The common rail pressure limiting valve test data through TruckBook Parts EPC APP.

**3.095420-0230 Common Rail Pressure Limiting Valve Purchase and Delivery**

**3.1.095420-0230 Common Rail Pressure Limiting Valve Purchase Payment Term**

**Payment Terms:** T/T, PayPal, Alipay, WeChat

▲ Please contact our salesmen for specific payment information.

**3.2.095420-0230 Common Rail Pressure Limiting Valve Main Sales Markets**

Common rail pressure limiting valve main sales markets: Asia, Europe, North America, South America, Africa etc.

**3.3.095420-0230 Common Rail Pressure Limiting Valve Declaration Requirements**

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

**3.4. 095420-0230 Common Rail Pressure Limiting Valve Shipping Ways**

**Destination in China areas:** SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

**Destinations out of China’s areas:** DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

**3.5. 095420-0230 Common Rail Pressure Limiting Valve Lead time**

**Lead time:** Send out within 3 – 7 working days after receiving payment ( Except for special products and special cases ) .

**3.6. 095420-0230 Common Rail Pressure Limiting Valve Logistics Time for Destination Out of China’s Areas**

**DHL Logistics Time :**

| Country or Region of Departure | Hong Kong, China | Other Countries or Regions of Asia | Australia and New Zealand | Europe | America   | Other Countries |
|--------------------------------|------------------|------------------------------------|---------------------------|--------|-----------|-----------------|
| China’s Mainland               | 7 Days           | 7 Days                             | 8 Days                    | 8 Days | 8-12 Days | 7-10 Days       |

**UPS Logistics Time: Country or Region of Departure: China’s Mainland**

| Country of Destination | Estimated Arrival Time | Country of Destination | Estimated Arrival Time | Country of Destination | Estimated Arrival Time |
|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Japan                  | 3 Days                 | UK                     | 5-7Days                | Egypt                  | 5-7 Days               |
| Turkey                 | 5-7 Days               | Singapore              | 3 Days                 | Switzerland            | 5-7 Days               |
| Bahrain                | 5-7 Days               | Latvia                 | 7-10 Days              | New Zealand            | 7-10 Days              |



|             |           |             |           |                      |           |
|-------------|-----------|-------------|-----------|----------------------|-----------|
| Sri Lanka   | 5-7 Days  | Thailand    | 3 Days    | Austria              | 5-7 Days  |
| Romania     | 5-7 Days  | Vietnam     | 3-5 Days  | Estonia              | 5-7 Days  |
| Malaysia    | 3-5 Days  | Israel      | 5-7 Days  | Mexico               | 7-10 Days |
| France      | 5-7 Days  | America     | 5-7 Days  | United Arab Emirates | 5-7 Days  |
| Italy       | 5-7 Days  | Netherlands | 5-7 Days  | Bengal               | 7-10 Days |
| Lebanon     | 5-7 Days  | Philippine  | 3-5 Days  | Greece               | 7-10 Days |
| South Korea | 3 Days    | Spain       | 5-7 Days  | Myanmar              | 5-7 Days  |
| Canada      | 5-7 Days  | Germany     | 5-7 Days  | Saudi Arabia         | 7-10 Days |
| Portugal    | 5-7 Days  | Australia   | 5-7 Days  | South Africa         | 7-10 Days |
| Denmark     | 5-7 Days  | Belgium     | 5-7 Days  | Ukraine              | 7-10 Days |
| India       | 7-10 Days | Qatar       | 7-10 Days | Poland               | 5-7 Days  |
| Indonesia   | 3-5 Days  | Morocco     | 7-10 Days | Pakistan             | 7-10 Days |
| Kuwait      | 7-10 Days |             |           |                      |           |

**⚠** The logistics time is for reference only , subjects are according to the actual arrival.

**3.7. 095420-0230 Common Rail Pressure Limiting Valve Packing**

**Domestic express packaging:** Usually wrapped in waterproof scotch tape, such as picture No.1.

**International express packaging:** Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

**Pallet Shipping:** Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers’ requirements.

**⚠** The packing tray is made of plastic and can be recycled.

**⚠** Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

**⚠** Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid injury.



Pic No. 1

**Domestic express packaging:**



Pic No. 2

**International express packaging:**

Wrapped with Transparent tape

Wrapped with yellow tape after wrapping  
black protective film

Pic No. 3

**Pallet Shipping:** Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

#### 4.095420-0230 Common Rail Pressure Limiting Valve Storage Standard

##### (1) Choose a suitable storage place

The warehouse and cargo yard where the common rail pressure limiting valve is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkalis, salts and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

##### (2) Strict requirements of warehousing

Strict inspections should be carried out when the common rail pressure limiting valves are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. Packaged injectors must be protected from damage.

##### (3) Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for the common rail pressure limiting valves placed in the room, and the corrosion of the common rail pressure limiting valves is significantly reduced.

common rail pressure limiting valve s must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

##### (4) Stack Properly

After the common rail pressure limiting valve is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the common rail pressure limiting valve from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If the common rail pressure limiting valve package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at



the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

- ⚠ It is forbidden to leave the common rail pressure limiting valve exposed in the air for a long time.
- ⚠ It is forbidden to store acid, alkali, salt and other substances together with the common rail pressure limiting valve.
- ⚠ The unpacked common rail pressure limiting valve must be rust-proof during secondary storage.

## 5. Company Information



### 5.1. Company Introduction

**Chinese Name:** 深圳市舒马特科技有限公司

**English Name:** Shenzhen Shumatt Technology Co., Ltd

📞 **Mob Phone/WeChat:** +86-13410541523

📞 **HK Telephone:** +852-67653519

📞 **Telephone:** +86-755-23215133

✉ **Email:** ruby@shumatt.com

🌐 **Website:** www.shumatt.com

📍 **Shenzhen Office:** 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

Mob/WhatsApp: +86 13410541523

Email : [ruby@shumatt.com](mailto:ruby@shumatt.com)

© 2025 Shenzhen Shumatt Technology Co., Ltd

Tel: +8675523215133

Website : [www.shumatt.com](http://www.shumatt.com)

📍 **Shenzhen Office:** Exit C, Qiao Touxu Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

📍 **Hong Kong Office:** Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

📍 **After-sales Service Address:** Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: [1.10. 095420-0230 Common Rail Pressure Limiting Valve Warranty Instructions](#) )

## 5.2. Salesmen's Contact Information

| No. | Name                         | WeChat/WhatsApp | Email               |
|-----|------------------------------|-----------------|---------------------|
| 1   | Ruby                         | +86-13410541523 | ruby@shumatt.com    |
| 2   | Ivy                          | +86-18025299821 | sales@shumatt.com   |
| 3   | Rebecca                      | +86-18025349821 | sales01@shumatt.com |
| 4   | Janny                        | +86-18028749821 | sales02@shumatt.com |
| 5   | Sam                          | +86-13316859821 | Sales8@shumatt.com  |
| 6   | Natalie                      | +86-18938945856 | sales15@shumatt.com |
| 7   | Ada                          | +86-1342286353  | sales5@shumatt.com  |
| 8   | Hison Li                     | +86-18318811871 | web@shumatt.com     |
| 9   | Mecca                        | +86-18938948618 | sales11@shumatt.com |
| 10  | Eric                         | +86 18319033618 | sales3@shumatt.com  |
| 11  | Wayne ( Joaquín en español ) | +86-13316959821 | wayne@shumatt.com   |
| 12  | Sylvia                       | +86 18312499884 | sales6@shumatt.com  |

Visit <http://shumatt.com> to obtain the latest information of salesmen

**PS:** Shumatt's salesmen's emails are all end with **@shumatt.com**

## 6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sounds or videos, etc.) provided in "*095420-0230 Common Rail Pressure Limiting Valve Technical File*" belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "*095420-0230 Common Rail Pressure Limiting Valve Technical File*" in any way. At the same time, any conditions to spread, repost, display the contents of "*095420-0230 Common Rail Pressure Limiting Valve Technical File*" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "*095420-0230 Common Rail Pressure Limiting Valve Technical File*" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions.