

RE524529 Common Rail Pressure Limiting Valve Technical File

SKU1: G1Y300RE524529

SKU2: G1LC100RE524529



RE524529 Common Rail Pressure Limiting Valve Technical File**Content**

1. RE524529 Common Rail Pressure Limiting Valve Introduction	2
1.1. RE524529 Common Rail Pressure Limiting Valve Basic Information	2
1.2. RE524529 Common Rail Pressure Limiting Valve Common Part Number	2
1.3. RE524529 Common Rail Pressure Limiting Valve Parameter	2
1.4. RE524529 Common Rail Pressure Limiting Valve Quality Control	2
1.5. RE524529 Common Rail Pressure Limiting Valve Customized Service	2
1.6. RE524529 Common Rail Pressure Limiting Valve Packing List and Package Size	3
1.7. RE524529 Common Rail Pressure Limiting Valve Warranty Instructions	3
1.8. RE524529 Common Rail Pressure Limiting Valve Manufacturer	4
2. RE524529 Common Rail Pressure Limiting Valve Technical Support Obtaining Methods	4
3. RE524529 Common Rail Pressure Limiting Valve Purchase and Delivery	5
3.1. RE524529 Common Rail Pressure Limiting Valve Purchase Payment Term	5
3.2. RE524529 Common Rail Pressure Limiting Valve Main Sales Markets	5
3.3. RE524529 Common Rail Pressure Limiting Valve Declaration Requirements	5
3.4. RE524529 Common Rail Pressure Limiting Valve Shipping Ways	5
3.5. RE524529 Common Rail Pressure Limiting Valve Lead time	5
3.6. RE524529 Common Rail Pressure Limiting Valve Logistics Time for Destination Out of China's Areas	5
3.7. RE524529 Common Rail Pressure Limiting Valve Packing	6
4. RE524529 Common Rail Pressure Limiting Valve Storage Standard	7
5. Company Information	8
5.1. Company Introduction	8
5.2. Salesmen's Contact Information	9
6. Copyright Statement	9

RE524529 Common Rail Pressure Limiting Valve Technical File**1. RE524529 Common Rail Pressure Limiting Valve Introduction****1.1. RE524529 Common Rail Pressure Limiting Valve Basic Information**

Title	RE524529 Common Rail Pressure Limiting Valve	Quality
SKU1	G1Y300RE524529	China Made New
SKU2	G1LC100RE524529	China Made New

1.2. RE524529 Common Rail Pressure Limiting Valve Common Part Number**(1) Common Rail Pressure Limiting Valve Application to Car Model Information**

Common Rail Pressure Limiting Valve Part Number	Car Model	Common Rail Pipe	OE Number
RE524529	/	/	/

(2) Common Rail Pressure Limiting Valve Part Number Common Writing

RE524529

1.3. RE524529 Common Rail Pressure Limiting Valve Parameter

Common Rail Pressure Limiting Valve Size: 5cm*4 cm *2 cm

Common Rail Pressure Limiting Valve Package Size: 10 cm *9 cm *5cm

Common Rail Pressure Limiting Valve Net Weight: 130g

Common Rail Pressure Limiting Valve Gross Weight: 660g

Common Rail Pressure Limiting Valve Quality: China Made New

Common Rail Pressure Limiting Valve MOQ: 10 Pieces

1.4. RE524529 Common Rail Pressure Limiting Valve Quality Control**(1) Common Rail Pressure Limiting Valve Testing**

All common rail pressure limiting valve spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

(2) Common Rail Pressure Limiting Valve Inspection

The factory inspection of the common rail pressure limiting valve is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same common rail pressure limiting valve for a total of no less than three times for factory inspection, and the common rail pressure limiting valve installation testing environment are progressed in dust-free workshop.

1.5. RE524529 Common Rail Pressure Limiting Valve Customized Service

(1) Common Rail Pressure Limiting Valve Customized Service: Meet the customized needs of OEM manufacturers for shell lettering, logo engraving, common rail pressure limiting valve internal packaging, common rail pressure limiting valve external packaging and labels customized, etc.

		
Neutral Engraving	Anti-rust Bag Packaging	Neutral Brown Package

(2) Common Rail Pressure Limiting Valve Customized Service Requirements:

Customized common rail pressure limiting valve packages no less than 100 pieces.

Customized common rail pressure limiting valve engraving no less than 100 pieces.

The purchased of customized common rail pressure limiting valve are not less than 1000 pieces.

When the customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

▲ Once the customized common rail pressure limiting valve is sold, it cannot be returned or exchanged if there is no quality problems.

1.6.RE524529 Common Rail Pressure Limiting Valve Packing List and Package Size

(1) Common Rail Pressure Limiting Valve Spare Parts List

No.	1	2	3
Image			
Name	Common Rail Pressure Limiting Valve	White Anti-rust Bag	Pressure Limiting Valve Packing Box
Description	Common rail pressure limiting valve part number: RE524529	Prevent common rail pressure limiting valve from rusting	Protect the common rail pressure limiting valve from damage

▲ Minors are forbidden to use the common rail pressure limiting valve assembly, spare parts, package box, anti-rust bag to avoid injury.

▲ Common rail pressure limiting valve packaging box is a recyclable accessory and can be recycled.

▲ The anti-rust bag is a non-degradable material. Please dispose of it properly after use.

1.7. RE524529 Common Rail Pressure Limiting Valve Warranty Instructions

(1) Product Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the common rail pressure limiting valve inspection equipment when the common rail pressure limiting valve is abnormal during use as evidence to feed back to the salesman.

Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

(2) Common Rail Pressure Limiting Valve Warranty Coverage

Within 15 days after customer receives the RE524529 injector, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the RE524529 common rail pressure limiting valve has performance problems during the warranty period (6-12 months), and it is confirmed that it is product's problems after testing, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

If the common rail pressure limiting valve is confirmed to be not faulty, it will be returned in its original condition.

⚠ Tips: For products not covered by warranty, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.

(3) Common Rail Pressure Limiting Valve Out of Warranty Coverage

- ① The warranty period has expired.
- ② Common rail pressure limiting valve working failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Common rail pressure limiting valve damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ④ Common rail pressure limiting valve working failure or common rail pressure limiting valve damaged caused by non-common rail pressure limiting valve design, technology, manufacturing, quality and other issues.
- ⑤ Common rail pressure limiting valve working failure due to system pressure exceeding system approved pressure.
- ⑥ Common rail pressure limiting valve working failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- ⑦ Common rail pressure limiting valve working failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ⑧ Common rail pressure limiting valve working failure caused by not following the installation angle specified in the vehicle engine maintenance manual.
- ⑨ Common rail pressure limiting valve working failure caused by not following the cleaning requirements specified in the vehicle engine maintenance manual.
- ⑩ Common rail pressure limiting valve working failure caused by failure to replace consumable parts as specified in the vehicle engine maintenance manual.

1.8. RE524529 Common Rail Pressure Limiting Valve Manufacturer

Common Rail Pressure Limiting Valve manufacturer: Shenzhen Shumatt Technology Co., Ltd

2. RE524529 Common Rail Pressure Limiting Valve Technical Support Obtaining Methods

- (1) Common Rail Pressure Limiting Valve Technical File , visit <http://shumatt.com> to get the technical file.
- (2) Common Rail Pressure Limiting Valve Technical Videos

Facebook: Visit <https://www.facebook.com/hison.li> to get the technical videos, constantly follow can get

more information.

YouTube: https://www.youtube.com/channel/UCByvYBx7VjV_mAfxh_Hu-aw to get the technical videos, constantly follow can get more information.

Shumatt: Visit <http://shumatt.com> to get the technical videos.

(3) Common Rail Pressure Limiting Valve Information Query Software

TruckBook Parts EPC APP, Android/Apple App Store download and install, visit <http://shumatt.com> to get the download and installation tutorial

(4) Search The common rail pressure limiting valve test data through TruckBook Parts EPC APP.

3.RE524529 Common Rail Pressure Limiting Valve Purchase and Delivery

3.1.RE524529 Common Rail Pressure Limiting Valve Purchase Payment Term

Payment Terms: T/T, PayPal, Alipay, WeChat

▲ Please contact our salesmen for specific payment information.

3.2.RE524529 Common Rail Pressure Limiting Valve Main Sales Markets

Common rail pressure limiting valve main sales markets: Asia, Europe, North America, South America, Africa etc.

3.3.RE524529 Common Rail Pressure Limiting Valve Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. RE524529 Common Rail Pressure Limiting Valve Shipping Ways

Destination in China areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations out of China's areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. RE524529 Common Rail Pressure Limiting Valve Lead time

Lead time: Send out within 3 – 7 working days after receiving payment (Except for special products and special cases) .

3.6. RE524529 Common Rail Pressure Limiting Valve Logistics Time for Destination Out of China's Areas

DHL Logistics Time :

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China's Mainland	7 Days	7 Days	8 Days	8 Days	8-12 Days	7-10 Days

UPS Logistics Time: Country or Region of Departure: China's Mainland

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	UK	5-7Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days

Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days				



The logistics time is for reference only , subjects are according to the actual arrival.

3.7. RE524529 Common Rail Pressure Limiting Valve Packing

Domestic express packaging: Usually wrapped in waterproof scotch tape, such as picture No.1.

International express packaging: Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.



The packing tray is made of plastic and can be recycled.



Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.



Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid injury.



Pic No. 1



Pic No. 2

Domestic express packaging:

Wrapped with Transparent tape

International express packaging:

Wrapped with yellow tape after wrapping black protective film



Pic No. 3

Pallet Shipping: Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4.RE524529 Common Rail Pressure Limiting Valve Storage Standard**(1) Choose a suitable storage place**

The warehouse and cargo yard where the common rail pressure limiting valve is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkalis, salts and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict requirements of warehousing

Strict inspections should be carried out when the common rail pressure limiting valves are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. Packaged injectors must be protected from damage.

(3) Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for the common rail pressure limiting valves placed in the room, and the corrosion of the common rail pressure limiting valves is significantly reduced.

common rail pressure limiting valve s must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the common rail pressure limiting valve is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the common rail pressure limiting valve from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If the common rail pressure limiting valve package is damaged, it should be repaired or replaced; when

the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

- ⚠ It is forbidden to leave the common rail pressure limiting valve exposed in the air for a long time.
- ⚠ It is forbidden to store acid, alkali, salt and other substances together with the common rail pressure limiting valve.
- ⚠ The unpacked common rail pressure limiting valve must be rust-proof during secondary storage.

5. Company Information



5.1. Company Introduction

Chinese Name: 深圳市舒马特科技有限公司

English Name: Shenzhen Shumatt Technology Co., Ltd

📞 **Mob Phone/WeChat:** +86-13410541523

📞 **HK Telephone:** +852-67653519

☎ **Telephone:** +86-755-23215133

✉ **Email:** ruby@shumatt.com

🌐 **Website:** www.shumatt.com

📍 **Shenzhen Office:** 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway

Mob/WhatsApp: +86 13410541523

Email : ruby@shumatt.com

© 2025 Shenzhen Shumatt Technology Co., Ltd

Tel: +8675523215133

Website : www.shumatt.com

Station, Bao'an District, Shenzhen, China's Mainland

📍 **Shenzhen Office:** Exit C, Qiao Touxu Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

📍 **Hong Kong Office:** Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

📍 **After-sales Service Address:** Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: [1.10. RE524529 Common Rail Pressure Limiting Valve Warranty Instructions](#))

5.2. Salesmen's Contact Information

No.	Name	WeChat/WhatsApp	Email
1	Ruby	+86-13410541523	ruby@shumatt.com
2	Ivy	+86-18025299821	sales@shumatt.com
3	Rebecca	+86-18025349821	sales01@shumatt.com
4	Janny	+86-18028749821	sales02@shumatt.com
5	Sam	+86-13316859821	Sales8@shumatt.com
6	Natalie	+86- 18938945856	sales15@shumatt.com
7	Ada	+86-1342286353	sales5@shumatt.com
8	Hison Li	+86-18318811871	web@shumatt.com
9	Mecca	+86-18938948618	sales11@shumatt.com
10	Eric	+86 18319033618	sales3@shumatt.com
11	Wayne (Joaquín en español)	+86-13316959821	wayne@shumatt.com
12	Sylvia	+86 18312499884	sales6@shumatt.com
Visit http://shumatt.com to obtain the latest information of salesmen			
PS: Shumatt's salesmen's emails are all end with @shumatt.com			

6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sounds or videos, etc.) provided in "*RE524529 Common Rail Pressure Limiting Valve Technical File*" belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "*RE524529 Common Rail Pressure Limiting Valve Technical File*" in any way. At the same time, any conditions to spread, repost, display the contents of "*RE524529 Common Rail Pressure Limiting Valve Technical File*" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "*RE524529 Common Rail Pressure Limiting Valve Technical File*" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions.